

# Shure MV5C-USB Specs

## Microphone

Primary Applications	Studio Recording, Podcast, Web-Streaming, Conferencing
Form Factor	Desktop / Stand/Boom Mount
Intended Sound Sources	Vocals, Speech/Voice Over, Instrument
Sound Field	Mono
Capsule	<b>1 x</b> Electret Condenser
Diaphragm	0.6" / 16 mm
Polar Pattern	Cardioid
Orientation	End Address
Circuitry	Solid-State
Pad	<i>None</i>
High-Pass Filter	<i>None</i>
Tone Adjustment	<i>None</i>
Gain Adjustment	0 dB to +36 dB
Indicators	Green Single LED (Power)

---

On-Board Controls
-------------------

Mic Mute
----------

---

Windscreen
------------

<i>None</i>
-------------

---

## Performance

---

Frequency Range
-----------------

20 Hz to 20 kHz
-----------------

---

Maximum SPL
-------------

130 dB SPL
------------

---

Sensitivity
-------------

-40 dBFS at 1 kHz
-------------------

---

## Connectivity

---

Output Connectors (Analog)
----------------------------

<i>None</i>
-------------

---

Output Connectors (Digital)
-----------------------------

<b>1 x</b> Micro-USB Female (on Mic)
--------------------------------------

---

Headphone Connector
---------------------

<b>1 x</b> 1/8" / 3.5 mm
--------------------------

---

Cable Length
--------------

3.3' / 1 m
------------

---

## Digital Audio

---

A/D Conversion
----------------

16 / 24-Bit
-------------

---

Sample Rate
-------------

48 kHz
--------

---

Operating System Support
--------------------------

Windows, macOS/OS X
---------------------

---

# Power

Bus Power	USB
-----------	-----

# Physical

Color	Black
Mounting	1/4"-20 Female (via Integrated Hardware) Desktop Stand (Included)
Dimensions	H: 2.6 x W: 2.6 x L: 2.6" / H: 66 x W: 67 x L: 65 mm (Microphone) H: 3.5 x W: 5.6 x L: 3.8" / H: 89 x W: 142 x L: 97 mm (Microphone, Stand)
Weight	3.2 oz / 90 g (Microphone) 5.6 oz / 160 g (Microphone, Stand)