

OpticSlim 550 Plus ➤



300dpi Download





Image Sensor	CIS
Light Source	LED
Optical Resolution	1200 dpi
Hardware Resolution	1200 x 1200 dpi
Scan Modes	Color: 48-bit input, 24-bit output Grayscale: 16-bit input, 8-bit output B/W: 1-bit
Scanning Speed	1.5 sec (Color Mode, 300 dpi, A5)
Scanning Area (W x L)	Max. 216 x 150 mm (8.5" x 5.9")
Action Button	Copy, File, Scan, OCR, Custom
Power Supply	AC Power: 24V / 0.75A
Interface	USB 2.0
Net Weight	1.2 Kgs
Dimensions (W x D x H)	270 x 270 x 40 mm (10.6" x 10.6" x 1.6")
Protocol	TWAIN Compliant
OS	Windows XP / Vista / 7 / 8 / 10 Linux Ubuntu 16.04 (32/64 bit) / 18.04 (64 bit) / 20.04 (64 bit)

LINUX SANE only for Systems

One available USB 2.0 Port 1GB RAM (2GB or higher

recommended)

2GB free HDD space (3GB or

larger recommended)

Bundled Software Plustek DocAction Plustek DocTWAIN

ABBYY FineReader 12 Sprint (For

Windows)

Products

Film & Photo Scanners Flatbed Scanners Departmental Scanners Workgroup Scanners

Personal Desktop Scanners Capture Devices

Portable Scanners Network Scanners Book Scanners

Customized Scan Modules

Software

DataCapture

PlustekCapture

SmartZone

Button Management Software

DocAction for Win

DocAction II +Full Text Search

LinuxAction (Project Only)

Integration Application

Typist

iKnow

Solutions



Transportation
Scanning Solutions
Passport Solutions
Barcode Solutions
ID Solutions
Android System Scanning Solution
Software Development Kit

Support & Download

Drivers & Downloads Technical Support OS Compatibility

Company

About Plustek Contact Us Newsroom Where To Buy Alliances

E-Mail: salesindia@plustek.in

Copyright 2021 Plustek All Rights Reserved. Privacy