

Specifications: FoodPro Plus IR Thermometer

Infrared Specifications		
Temperature	-35°C to 275°C	
Accuracy	(Assumes ambient operating temperature of 23°C ±2°)	
	Between 0°C and 65°C: ±1°C	
	Below 0°C: ±1° ±0.1 degree/degree	
	Above 65°C: ±1.5% of reading	
Response time	< 500 ms after initial reading	
Spectral response	8-14 microns	
Emissivity	Pre-set for foodservice applications	
Distance to spot size/Optical resolution (D:S)	2.5:1 @ 90% energy, typical	
Typical working range (target illumination)	≈ 25 mm to 250 mm	
Minimum target size	12 mm ø	
Illumination to IR channel offset	13 mm	

Probe Specifications		
Temperature	-40°C to 150°C	
Accuracy	(Assumes ambient operating temperature of 23°C ±2°)	
	Between –5°C and 65°C: ±0.5°C	
	Below –5°C: ±1°C	
	Above 65°C: ±1% of reading	
Response time	7-8 seconds (3 time constants)	
Probe dimensions	Diameter: 3.0 mm	
	Length: 90 mm	
Sensor type	Thin-film platinum, class A, Resistance	
	Thermal device (RTD)	
Operational Specifications		
Repeatability	Within accuracy specifications of the unit	
Ambient operating range	0°C to 50°C	
Relative humidity	90% (±5%) RH non condensing @ 30°C	
Storage temperature	-20°C to 60°C	
Weight	150 g (with battery)	
Dimensions	165 x 32 x 50 mm	
Power, battery life	9 V alkaline	
Battery life	Alkaline, 10 hours minimum @ 23°C	
Target illumination	High brightness LED	
Display resolution	4 digits, 0.1°C	
Displayhold (7seconds)	Yes	
LCD backlit display	Yes	
Temperature display	4 digits, 0.1°C resolution	
Maximum temperature displayed	Yes	
Timer	Yes	
Environmental data	IP54 sealing (hand-washable, non-submersible)	
Other Specifications (both)		
Calibration certificate	Calibration accuracy with NIST and DKD traceability	

Standards	Conforms to EN 61236-1 Electromagnetic Emissions and Susceptibility, EN 6101-1 General Safety, Sealing IP54 (hand washable, non- submersible)
Certifications	CE NSF
Warranty	2 years
Options/Accessories	Replacement probe

Product overview: FoodPro Plus IR Thermometer

Fluke FoodPro Plus food safety thermometer measures both internal and surface temperatures with one handy tool

The Fluke FoodPro Plus thermometer provides a complete temperature measurement and monitoring solution for foodservice professionals. Use the FoodPro Plus to quickly and accurately measure food product temperatures to help detect potential food safety problems. It combines the same infrared surface temperature scanner as the FoodPro, and adds to it a fold out probe thermometer for measuring internal food temperature, and an integrated countdown timer for complete inspections of food temperatures and monitoring cooking and cooling intervals. Like the FoodPro, the FoodPro Plus thermometer is hand-washable and features unique HACCP check lights, which immediately indicate safe or potentially unsafe holding temperatures with either green or red lights.

The Fluke FoodPro Plus is useful for:

- Receiving: Use the FoodPro Plus thermometer to quickly verify proper temperatures of food products at the point of delivery as recommended by your HACCP program.
- Food holding: Easily monitor hot and cold food holding. HACCP check lights provide instant recognition of safe/unsafe temperatures
- Inspection: Conduct food line inspections daily to ensure compliance with local food temperature monitoring requirements
- Equipment Calibration: Verify proper operating temperature of coolers, freezers, grills, fryers, warmers, as well as hot and cold storage units to avoid inconsistent food service, costly spoilage and to allow quicker response, reducing equipment repair costs
- Dining room: Easily verify temperatures in every aspect of food serving to ensure safety, enhance quality and reduce waste
- Measures -35 to +275 °C (-31 to 527 °F) with non-contact thermometer and from -40 to 200° C (-40 °F to +392 °F) with probe
- Features backlit display for clear readings in poorly lit areas

• Displays MAX temperature for quick reference